In the Claims:

Please cancel claims 3 and 7, without prejudice, and amend claims 1, 5-6 and 8-11 as follows:

(Currently Amended)

A graphical user interface screen generating

apparatus, comprising:

an extraction unit extracting field information associated withof an output field and an input-output field from screen data of a character-based user interface screen; and

a naming unit specifying a control name of the input-output field in thea graphical user interface screen based on a character string contained in the part associated with the output field of the field information of the output field in a vicinity of the input-output field, and registering, in a memory unit, the specified control name as the control name of the output field or the input-output field, whichever is relevant in a memory.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Cancelled)

generating apparatus according to claim 1, wherein if the field information indicates that a field is an input-output field, said naming unit specifies thea control name of the input-output field based on a fieldthe character string of an the output field which is before a the input-output field to be specified and exists closest to the input-output field.

6. (Currently Amended) The graphical user interface screen generating apparatus according to claim 14, wherein when specifying the control name based on the field character string, said naming unit adds a specific character string to a one of the registered control name or control name to be specified in such a way that the name may not be the same as an already registered control name of the input-output field and a registered control name of the output field.

7. (Cancelled)

8. (Currently Amended) The graphical user interface screen generating apparatus according to claim 41, wherein said naming unit specifies a control name of a GUI screen adds a specific character string to one of the registered control name of the input-output field and a registered control name of the output field according to a group of predetermined control name specifying regulations.

(Currently Amended) A graphical user interface screen generating method, comprising:

extracting field information associated with of an output field and an inputoutput field from screen data of a character-based user interface screen; and

specifying a control name of the output field or the input-output field in a the graphical user interface screen based on a character string contained in the part associated with the output field of the field information of the output field in a vicinity of the input-output field, and registering, in a memory unit, the specified control name as the control name of the output field or the input-output field, whichever is relevant in a memory.

which is recorded a graphical user interface screen generation program enabling a computer to extract field information associated with of an output field and an input-output field from screen data of a character-based user interface screen and to specify a control name of the output field or the input-output field in a graphical user interface screen based on a character string contained in the part associated with the output field of the extracted of the field information of the output field in a vicinity of the input-output field, and registering, in a memory unit, the specified control name as the control name of the output field or the input-output field, whichever is relevant in a memory.

11. (Currently Amended) The computer-readable storage medium according to claim 10 on which is recorded a graphical user interface screen generation program enabling a computer to specify a control name of the input-output field based on the a field character string of the an output field which is before a field to the input-output field and exists closest to the in a vicinity of a field to be specified if the field information indicates that the field is an input-output field.

12. (Cancelled)